

# Rivet Factory®

Air Power Series are high tech pneumatic – hydraulic riveters for blind rivets, riveting bolts and inserts which are specially destined for heavy duty use in industry.

## AirPower 1

High professional pneumatic – hydraulic blind riveting tool with extraction and multifunction trigger made for heavy industry use.



Capacity	∅ 2,4–4,8 mm Al, St, Rv
Weight	1,25 kg
Dimensions	272 x 264 x 99 mm
Stroke	17 mm
Pressure required	5–7 Bar
Traction power	7,3 kN
Air consumption	1,5 l /stroke
Nose pieces	∅ 3–3,2 / 4 / 4,8–5 mm

## AirPower 2

High professional pneumatic – hydraulic blind riveting tool with extraction and multifunction trigger made for heavy industry use.



Capacity	∅ 4,0–6,4 mm Al, St, Rv
Weight	1,65 kg
Dimensions	272 x 275 x 120 mm
Stroke	21 mm
Pressure required	5–7 Bar
Traction power	12,5 kN
Air consumption	2 l /stroke
Nose pieces	∅ 4 / 4,8–5 / 6 / 6,4 mm

## AirPower 3

High professional pneumatic – hydraulic blind riveting tool with extraction and multifunction trigger made for heavy industry use.



Capacity	∅ 4,8–6,4 mm Al, St, Rv
Weight	1,8 kg
Dimensions	292 x 290 x 125 mm
Stroke	25 mm
Pressure required	5–7 Bar
Traction power	16 kN
Air consumption	3 l /stroke
Nose pieces	∅ 4,8–5 / 6 / 6,4 / 6,4 Varibolt

## AirPower 4

High professional pneumatic – hydraulic riveting tool for blind rivet nuts and bolts equipped with new quick interchangeable system.



Capacity	M3–M12
Weight	1,65 kg
Dimensions	270 x 285 x 99 mm
Stroke	7 mm
Pressure required	5–7 Bar
Traction power	18,5 kN
Air consumption	3 l /stroke
Equipment	Conversion kit blind rivet nuts M4 / M5 / M6 / M8

## AirPower 5

High professional pneumatic – hydraulic riveting tool for blind rivet nuts with extraction and multifunction trigger made for heavy industry use



Capacity	M8–M12 Al, St, Rv
Weight	2,23 kg
Dimensions	290 x 280 x 120 mm
Stroke	8 mm
Pressure required	5–7 Bar
Traction power	27 kN
Air consumption	2,5 l /stroke
Equipment	Conversion kit blind rivet nuts M8 / M10 / M12

## AirPower 1NV

High professional pneumatic – hydraulic blind riveting tool without extraction.



Capacity	∅ 2,4–4,8 mm Al, St, Rv
Weight	1,21 kg
Dimensions	257 x 247 x 98 mm
Stroke	17 mm
Pressure required	5–7 Bar
Traction power	7,3 kN
Air consumption	1,5 l /stroke
Nose pieces	∅ 3–3,2 / 4 / 4,8–5 mm

# Professional hand riveters

M series tools are professional hand riveters for blind rivets, riveting bolts and inserts which are specially destined for series production.

## M1

Professional blind rivet tool.

Capacity	∅ 2,4–5,0 mm
Weight	1,3 kg
Length	350 mm
Body material	High strength ABS
Lever material	Steel
Equipment	∅ 3–3,2 / 4 / 4,8–5 mm



## M2

Professional blind rivet tool.

Capacity	∅ 2,4–6,4 mm Al, St, Rv
Weight	1,5 kg
Length	410 mm
Body material	High strength ABS
Lever material	Steel
Equipment	∅ 3–3,2 / 4 / 4,8–5 / 6 / 6,4 mm



## M3

Professional blind rivet nut tool.

Capacity	blind rivet nuts M3–M8 blind rivet bolts M4–M6
Weight	1,5 kg
Length	380 mm
Body material	High strength ABS
Lever material	Steel
Equipment	M4 / M5 / M6 / M8



## M4

Professional blind rivet nut tool.

Capacity	blind rivet nuts M3–M12 blind rivet bolts M4–M8
Weight	1,8 kg
Length	460 mm
Body material	High strength ABS
Lever material	Steel
Equipment	M4/M5/M6/M8/M10/M12



## M4+

Professional blind rivet nut tool with spindle.

Capacity	blind rivet nuts M3–M12 blind rivet bolts M4–M8
Weight	2,4 kg
Length	485 mm
Body material	High strength ABS
Lever material	Steel
Equipment	M6 / M8 / M10 / M12



## M5

Professional ratchet blind rivet nut tool.

Capacity	blind rivet nuts M3–M12 blind rivet bolts M4–M8
Weight	1,25 kg
Length	212 mm
Body material	Steel
Lever material	Steel
Equipment	M6 / M8 / M10 / M12



## MS22

Professional blind riveting hand tool for assembly work with „Fe“ alloy body.

Capacity	∅ 2,4 - 4,0 mm Al, St, Rv; ∅ 5,0 mm Al, St
Weight	0,8 kg
Length	285 mm
Body material	Steel
Lever material	Steel
Equipment	∅ 2,4 / 3–3,2 / 4 / 4,8–5 mm



## MS33

Professional hand tool for setting blind rivet nuts for assembly work with „Fe“ alloy body.

Capacity	M3–M5 Al, St, Rv; M6 Al, St
Weight	0,8 kg
Length	285 mm
Body material	Steel
Lever material	Steel
Equipment	M4 / M5 / M6



# Scell-it manual tools

Scell-it series are hand riveters for blind rivets and riveting inserts which are specially destined for small and light assembly work.

## E0

One hand blind rivet tool.

Capacity	∅ 2,4–5,0 Al, St, Rv
Weight	0,6 kg
Length	240 mm
Body material	Aluminium, steel
Lever material	ABS (plastic)
Equipment	Nose pieces ∅ 2,4 / 3-3,2 / 4 / 4,8–5



## E-500RH-R

One hand blind rivet tool with opening spring.

Capacity	∅ 3,0–4,0 Al, St, Rv, ∅ 4,8 Al, St
Weight	0,7 kg
Length	255 mm
Body material	Aluminium
Lever material	ABS (plastic)
Equipment	Nose pieces ∅ 3–3,2 / 4 / 4,8–5 Extra set of jaws



## E-500RV

Blind rivet tool.

Capacity	∅ 3,0–5,0 Al, St, Rv
Weight	0,8 kg
Length	340 mm
Body material	Aluminium
Lever material	ABS (plastic)
Equipment	Nose pieces ∅ 3–3,2 / 4 / 4,8–5 Extra set of jaws



## E-640RV

Blind rivet tool.

Capacity	∅ 3,0–6,4 Al, St, Rv
Weight	0,8 kg
Length	426 mm
Body material	Aluminium
Lever material	ABS (plastic)
Equipment	Nose pieces ∅ 3–3,2 / 4 / 4,8–5 / 6–6,4 Extra set of jaws



## E-360NH

One hand blind rivet nut tool.

Capacity	M3–M5 Al, St, Rv; M6 only Al, St
Weight	0,8 kg
Length	280 mm
Body material	Aluminium
Lever material	ABS (plastic)
Equipment	Conversion kit M3, M4, M5, M6



## E-360NV

Blind rivet nut tool.

Capacity	M3–M6 Al, St, Rv
Weight	1,1 kg
Length	430 mm
Body material	Steel
Lever material	ABS (plastic)
Equipment	Conversion kit M3, M4, M5, M6



## E-410NV

Blind rivet nut tool.

Capacity	M4–M10 Al, St, Rv
Weight	2 kg
Length	430 mm
Body material	Steel
Lever material	ABS (plastic)
Equipment	Conversion kit M4, M5, M6, M8, M10



## E-410NV-T

Blind rivet nut tool with spindle.

Capacity	M4–M10 Al, St, Rv
Weight	2,2 kg
Length	485 mm
Body material	Steel
Lever material	ABS (plastic)
Equipment	Conversion kit M4, M5, M6, M8, M10



# Goebel cordless riveting tools

A range of cordless riveting tools for setting all types of blind rivets and rivet nuts, equipped with a brushless motor.

## GO-BR1

Cordless blind rivet battery tool with brushless motor.

Capacity	3–5 mm, Al, St, Rv
Weight	1,4 kg
Dimensions	247 x 250 x 55 mm
Stroke	15 / 21 mm
Traction power	12 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Nose pieces	1x $\varnothing$ 3–3,2 / 4 / 4,8–5



## GO-BR2

Cordless blind rivet battery tool with brushless motor.

Capacity	4–6,4 mm, Al, St, Rv
Weight	1,6 kg
Dimensions	259 x 250 x 55 mm
Stroke	21 / 26 mm
Traction power	18 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Nose pieces	$\varnothing$ 4 / 4,8–5 / 6 / 6,4



## GO-RN1

Cordless blind rivet nut battery tool with brushless motor.

Capacity	M3–M8 Al, St, Rv
Weight	1,5 kg
Dimensions	270 x 260 x 55 mm
Stroke	0,2–6,0 mm
Traction power	18 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Conversion kit	M3, M4, M5, M6, M8



## GO-RN2

Cordless blind rivet nut battery tool with brushless motor.

Capacity	M5–M12 Al, St, Rv
Weight	1,5 kg
Dimensions	292 x 260 x 55 mm
Stroke	0,3–9,0 mm
Traction power	27 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Conversion kit	M5, M6, M8, M10, M12



## GO-TR1

Cordless triple claw blind rivet battery tool with brushless motor.

Capacity	$\varnothing$ 5,2 / 6,4 / 7,5 mm
Weight	1,4 kg
Dimensions	247 x 250 x 55 mm
Stroke	18 / 26 mm
Traction power	12 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Nose pieces	1x $\varnothing$ 5,2 / 6,4 / 7,5



## GO-SN1

Cordless peel blind rivet nut battery tool with brushless motor.

Capacity	M5–M10 Al, St, Rv
Weight	1,6 kg
Dimensions	302 x 260 x 55 mm
Stroke	4,0–15,6 mm
Traction power	21 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Conversion kit	M5, M6, M8, M10



## GO-LB1

Cordless lockbolt battery tool with brushless motor.

Capacity	Lockbolt $\varnothing$ 4,8–6,4 mm
Weight	1,5 kg
Dimensions	240 x 260 x 55 mm
Stroke	16 mm
Traction power	23 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Nose pieces	$\varnothing$ 4,8 / 6,4 are not included



## GO-HX1

Cordless hex hole battery cutter with brushless motor.

Capacity	M4–M8
Weight	1,5 kg
Dimensions	265 x 260 x 55 mm
Stroke	20 mm
Traction power	16 kN
Battery	Li-on 18 V / 2,0 Ah / 36 wh
Equipment	2x battery, charger, ABS case
Nose pieces	M4 / M5 / M6 / M8 are not included

